```
btion
                Desd
ಳೇಕ
        Items
                DATABASE? OR DATABANK? OR DATA() (BASE? OR BANK?) OR DB OR -
S1
             OODB OR RDB OR DBMS OR RDBMS
                NETWORK? OR LAN OR INTRANET? OR WAN OR WANS OR LANS
S2
      2192165
                STATUS? OR EMERGENC? OR ALERT? OR ALARM? OR PANIC? OR URGE-
S3
      1139313
             NT?
                QUER? OR POLL? OR RETRIEV? OR FETCH? OR SEARCH? OR SEEK? OR
      5330769
S4
              LOCAT? OR FIND?
                VARIABL? OR TABLE? OR MATRIX? OR ARRAY?
S5
      3771383
                TELECOM? OR POTS OR PBX OR T1 OR ISDN OR TELEPHON? OR PH-
      2135566
S6
             ONE OR CELLULAR? OR MOBILE? OR WIRELESS
               MONITOR? OR MANAGE? OR ADMINIST? OR TRACK? OR LOG? OR VIEW?
S7
      7587662
        22226
                S3 AND S6 AND S7
S8
                S8 AND S2 AND S1
          787
S9
                S9 AND S4
          445
S10
                S10 AND S5
          41
S11
         1228
                S1(2N)S3
S12
                S12 AND S2(2N)S6
S13
           40
                S13 NOT S11
           39
S14
           80
                S11 OR S14
S15
           69
                RD (unique items)
S16
                S16 NOT PY>1999
$17
           49
       8:Ei Compendex(R) 1970-2004/May W2
File
         (c) 2004 Elsevier Eng. Info. Inc.
      35:Dissertation Abs Online 1861-2004/Apr
File
         (c) 2004 ProQuest Info&Learning
File 202: Info. Sci. & Tech. Abs. 1966-2004/May 14
         (c) 2004 EBSCO Publishing
      65:Inside Conferences 1993-2004/May W3
File
         (c) 2004 BLDSC all rts. reserv.
       2:INSPEC 1969-2004/May W2
File
         (c) 2004 Institution of Electrical Engineers
File 94:JICST-EPlus 1985-2004/Apr W4
         (c) 2004 Japan Science and Tech Corp(JST)
File 111:TGG Natl.Newspaper Index(SM) 1979-2004/May 21
         (c) 2004 The Gale Group
File 233: Internet & Personal Comp. Abs. 1981-2003/Sep
         (c) 2003 EBSCO Pub.
       6:NTIS 1964-2004/May W3
         (c) 2004 NTIS, Intl Cpyrght All Rights Res
File 144: Pascal 1973-2004/May W2
         (c) 2004 INIST/CNRS
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
         (c) 1998 Inst for Sci Info
      34:SciSearch(R) Cited Ref Sci 1990-2004/May W2
         (c) 2004 Inst for Sci Info
      99:Wilson Appl. Sci & Tech Abs 1983-2004/Apr
File
         (c) 2004 The HW Wilson Co.
File 696:DIALOG Telecom. Newsletters 1995-2004/May 20
```

(c) 2004 The Dialog Corp.

Items	Desduption
154252	DATABASE? OR DATABANK? OR DATA()(BASE? OR BANK?) OR DB OR -
0	ODB OR RDB OR DBMS OR RDBMS
356531	NETWORK? OR LAN OR INTRANET? OR WAN OR WANS OR LANS
233107	STATUS? OR EMERGENC? OR ALERT? OR ALARM? OR PANIC? OR URGE-
N	T?
1458080	QUER? OR POLL? OR RETRIEV? OR FETCH? OR SEARCH? OR SEEK? OR
	LOCAT? OR FIND?
1124362	VARIABL? OR TABLE? OR MATRIX? OR ARRAY?
662067	TELECOM? OR POTS OR PBX OR T1 OR ISDN OR TELEPHON? OR PH-
0	NE OR CELLULAR? OR MOBILE? OR WIRELESS
2527729	MONITOR? OR MANAGE? OR ADMINIST? OR TRACK? OR LOG? OR VIEW?
8677	S3 AND S6 AND S7
251	S8 AND S2 AND S1
89	S9 AND S4
8	S10 AND S5
463	S1 (2N) S3
28	S12 AND S2(2N)S6
28	S13 NOT S11
8	S14 AND IC=(G06F-015? OR H04L?)
20	S14 NOT S15
	Nov 1976-2004/Jan(Updated 040506)
	004 JPO & JAPIO
	nt WPIX 1963-2004/UD,UM &UP=200431
(c) 2	004 Thomson Derwent
	154252 O 356531 233107 N 1458080 1124362 662067 O 2527729 8677 251 89 8 463 28 28 28 20 347: JAPIO (c) 2 350: Derwe

-	11	(("4511963"	USPAT;	2004/05/20
		"5784442"	US-PGPUB;	08:22
		"6393481"	EPO; JPO;	
		"6080202"	DERWENT;	
		"5450123"	IBM_TDB	
		"5835570" "5946684"	•	
1		"5991379"		
		"6067546" "5883939"	Į	
		"5003584" "5187710"	i	
		"5475746"		
1		3473746 "5732127"		
		"5784443"		
		3704443 "5875238"		
		"5963943"		
		"5506893"		
		"5802527"		
		3602327 "6044259"	i	
		"6160794"		
		"6311186"		
		"6351453"		
		"6385301"	i	
		"6385301" "6385312"	ļ	
		"6385312" "6385444"	1	
		"6385444" "6393113"	-]
		"6393113" "6411681"		
1		"6411681" "6731730"		
		"6144731"		
		"6253193"		
		"6363488"		
		"6389402"		
		"6427140"		
		"5388095"		
		"6016340"		
		"5440563"		
		"5511116"		
		"5564068"		
		"5838237"		
		"6201862"		
		"4551585"		
		"4552997"		İ
		"6260067"		
		"6363411"		
		"6418461"		
		"6425005"		
		"4331834"		1
		"5633924"		
		"6154646"		
		"4979118"		}
		"5291481"		
		"5291550"		
		"5463686"		
		"5806000"		[
		"5864616"		
		"5982782"		}
		"6138008"		
		"6157707"		
1		"6185414"		
		"6233324"		
		"4247740"		
		"4311882"		
		"4371752"		
		"4581486"		
		"4602129"		
		"4761781"		
		"4763321"		
		"5201045"		
		"5222130"		i
		"5233600"		
		"5345445"		
Search His	torv 5	"5420914" 2540362917:21 PM Page 2		
[
L \		"5465387"		
C: (APPS/E	Par/Morkab	ac64909685501.wsp		
				,

	10	1//1/45110621	LICDAM	2004/05/10
-	10	(("4511963" "5784442"	USPAT; US-PGPUB;	2004/05/18 15:51
		"6393481"	EPO; JPO;	13.51
1	1	"6080202"	DERWENT;	
		"5450123"	IBM_TDB	
		"5835570"	15.1-155	i
		"5946684"		
		"5991379"		
		"6067546"		
		"5883939"		
	1	"5003584"		
	1	"5187710"		
		"5475746"		
		"5732127"	!	i
		"5784443"		
		"5875238"	i	
	i	"5963943"	ì	i i
		"5506893"		ŀ
	i	"5802527"	İ	
		"6044259"		
		"6160794"		
	ļ	"6311186"	ļ	
]		"6351453"		
į i	1	"6385301"	1	
]		"6385312"		
1		"6385444"		
]		"6393113"]	
		"6411681"		
1		"6731730"		
	}	"6144731"	ļ	
	i	"6253193"		
1	•	"6363488"	ľ	
	ŀ	"6389402"		
		"6427140"		
		"5388095"		
Ì	ļ	"6016340"		
		"5440563"		
	İ	"5511116"		
		"5564068"		
		"5838237"		
		"6201862"		
		"4551585"		
		"4552997"		
		"6260067"		
		"6363411"		
		"6418461"		
		"6425005"		
		"4331834"		
		"5633924"		
]		"6154646"		
]		"4979118"		
]		"5291481"		
1		"5291550"		
1		"5463686"		
]		"5806000"		
	l	"5864616"		
		"5982782"		
1		"6138008"		
1		"6157707"		
		"6185414"		
		"6233324"		
		"4247740"		
		"4311882"		
		"4371752"		
	ł	"4581486"		
		"4602129"		
		"4761781"		
		"4763321"		
		"5201045"		
		"5222130"		
		"5233600"		
		"5345445"		
Search His	torv 5	"5420914" /2146362917:21 PM Page 3		
[,	"5463629"		
_ ,,		"5465387"		
C: \APPS\EA	ST/Worksp	aC64905685501.wsp		
•				

-	48	@ad<=20001222 and ((((obtain\$4 or	USPAT;	2004/05/20
		access\$4 or get\$6) and (chang\$4 or	US-PGPUB;	08:23
		modif\$6)) near5 (information or data)	EPO; JPO;	
		<pre>same ((real adj time) or (real-time)) same (software or program)) and</pre>	DERWENT; IBM TDB	
		\$4communication near3 network)	IBM_IDB	
_	9	@ad<=20001222 and (((obtain\$4 or	USPAT;	2004/05/18
		access\$4 or get\$6) and (chang\$4 or	US-PGPUB;	16:28
		modif\$6)) near5 (information or data)	EPO; JPO;	
		near30 ((real adj time) or (real-time))	DERWENT;	
		near30 (software or program)) and	IBM_TDB	İ
		\$4communication near3 network)	_	
	57	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/05/18
		or server or workstation) near20 (program	US-PGPUB;	16:32
ŀ		or software) same ((access\$4) near5	EPO; JPO;	
		(information or data)) and ((modif\$4 or	DERWENT;	
	•	chang\$4) near5 (information or data))) AND (telecommunication adj network)	IBM_TDB	
1_	11		USPAT;	2004/05/18
	**	or server or workstation) near20 (stored	US-PGPUB;	17:28
		near10(program or software)) same	EPO; JPO;	11.00
		((access\$4) near5 (information or data))	DERWENT;	
		and ((modif\$4 or chang\$4) near5	IBM_TDB	
		(information or data))) AND		
		(telecommunication adj network)		
-	11	-	USPAT;	2004/05/18
		or server or workstation) near20 (stored	US-PGPUB;	16:33
		near10 (program or software)) same	EPO; JPO;	
		((access\$4) near5 (information or data)) and ((modif\$4 or chang\$4) near5	DERWENT; IBM TDB	
		(information or data))) AND	1514_105	
		(telecommunication adj network)		
_	80	1 '	USPAT;	2004/05/18
		information) same (prevent near20	US-PGPUB;	17:34
		access\$4)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	5	• · · · · · · · · · · · · · · · · · ·	USPAT;	2004/05/18
		information) same (prevent near20	US-PGPUB;	17:35
		access\$4) near10 users	EPO; JPO;	
			DERWENT; IBM TDB	
1_	30	@ad<=20001222 and user near10 modify\$4	USPAT;	2004/05/18
	30	near5 (data or information) and (prevent	US-PGPUB;	17:52
	1	near20 access\$4) near10 users same (data	EPO; JPO;	
	1	or information)	DERWENT;	
	1		IBM_TDB	
-	31	@ad<=20001222 and user near10 modify\$4	USPAT;	2004/05/18
	1	near5 (data or information) and	US-PGPUB;	18:05
	1	((prevent or avoid) near20 access\$4)	EPO; JPO;	
	1	near10 users same (data or information)	DERWENT;	
1_	,		IBM_TDB USPAT;	2004/05/18
1	3	@ad<=20001222 and user near10 modify\$4 near5 (data or information) and	USPAT; US-PGPUB;	17:56
	1	((prevent or avoid) near20 access\$4)	EPO; JPO;	17.50
	1	near10 users same modif\$4 near5 (data or	DERWENT;	
	1	information)	IBM TDB	
-	15	@ad<=20001222 and database same access	USPAT;	2004/05/18
1	1	adj list same users	US-PGPUB;	18:23
	1		EPO; JPO;	
	1		DERWENT;	
1	_	0.1.0001000	IBM_TDB	2004/05/20
-	7	•	USPAT;	2004/05/18
	1	adj list with (software or programs)	US-PGPUB;	18:07
	1		EPO; JPO; DERWENT;	
	1	,	IBM TDB	
-	2	@ad<=20001222 and database near5 access	USPAT;	2004/05/18
1		near5 control near5 list same (user same	US-PGPUB;	18:10
	1	(program or software))	EPO; JPO;	
	1		DERWENT;	
	I		IBM TDB	

-	3	@ad<=20001222 and (database near5 access	USPAT;	2004/05/18
		near5 control near5 list).ab.	US-PGPUB;	18:10
			EPO; JPO;	
			DERWENT;	!
1	41	@ad<=20001222 and database near5 access	IBM_TDB USPAT;	2004/05/18
-	41	near5 control near5 list	US-PGPUB;	18:12
1		Near 5 Control Near 5 1130	EPO; JPO;	10.12
			DERWENT;	
1			IBM TDB	l
1 -	4	@ad<=20001222 and database near5 access	USPAT;	2004/05/18
	_	near5 control near5 list same security	US-PGPUB;	18:12
		· ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	26	@ad<=20001222 and monitor\$4 near10	USPAT;	2004/05/19
İ		(software or program) near10 access	US-PGPUB;	15:08
1		near10 database	EPO; JPO;	
1			DERWENT;	
1	-	"CE74464" and coff	IBM_TDB	2004/05/10
-	1	"6574464" and software	USPAT;	2004/05/19
			US-PGPUB; EPO; JPO;	18:28
			DERWENT;	
			IBM TDB	
_	12	@ad<20001222 and database same data near5	USPAT;	2004/05/19
		concurrency same consistency	US-PGPUB;	13:55
			EPO; JPO;	10.00
l			DERWENT;	
			IBM TDB	
-	73	@ad<20001222 and multi-user adj database	USPĀT;	2004/05/19
		-	US-PGPUB;	13:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4		USPAT;	2004/05/19
		same users same (prevent or avoid)	US-PGPUB;	14:16
			EPO; JPO;	
	1		DERWENT;	
1_	334	@ad<20001222 and access near5 list near20	IBM_TDB USPAT;	2004/05/19
	33.	database	US-PGPUB;	14:17
		database	EPO; JPO;	11.17
1			DERWENT;	
			IBM TDB	
-	4	@ad<20001222 and access near5 list near20		2004/05/19
		database same users same (program or	US-PGPUB;	14:18
		software)	EPO; JPO;	
	-		DERWENT;	
			IBM_TDB	
-	25	•	USPAT;	2004/05/19
		near20 database near20 (clients or users)	US-PGPUB;	14:23
			EPO; JPO;	
		•	DERWENT;	
_	21	@ad<20001222 and record near5 access	IBM_TDB USPAT;	2004/05/19
		near20 database near20 (users)	USPAT; US-PGPUB;	14:26
			EPO; JPO;	- 1 - 2
			DERWENT;	
			IBM TDB	
-	30	@ad<20001222 and list near5 users near10	USPAT;	2004/05/19
		access near10 database	US-PGPUB;	14:29
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
_	89	, 	USPAT;	2004/05/19
		access near10 database	US-PGPUB;	14:31
			EPO; JPO;	
			DERWENT;	
	L	<u> </u>	IBM TDB	<u></u>

	9	<pre>@ad<20001222 and (record near5 user near5 access near10 database).ab.</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/05/19 14:33
			DERWENT; IBM TDB	
-	1	<pre>@ad<20001222 and record near5 user near5 access near5 history near10 database</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:34
_	34	@ad<20001222 and user near5 access near5 history near10 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:40
-	21	@ad<20001222 and user adj3 access adj3 history same database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:41
-	41	<pre>@ad<=20001222 and (user or client) adj5 access\$4 adj5 (history or record) adj10 database</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:46
_	2	<pre>@ad<=20001222 and (user or client) adj5 access\$4 adj5 (history or record) adj10 database same security</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:47
-	1	@ad<=20001222 and (user or client) adj5 access adj5 (history or record) adj10 database same security	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:47
~	10	@ad<=20001222 and (user or client) adj5 log\$4 adj5 (history or record) adj10 database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:49
-	7	<pre>@ad<=20001222 and (user or client) adj5 log\$4 adj5 (history or record) same security</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:50
-	38	@ad<=20001222 and (user or client) adj5 log\$4 adj5 (history)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:52
-	6	@ad<=20001222 and (creat\$4 near10 user near5 log\$6 near5 (record or list or history)).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:56
-	2	<pre>@ad<=20001222 and (maintain\$4 near10 user near5 log\$6 near5 (record or list or history)).ab.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 14:56
-	95	<pre>@ad<=20001222 and creat\$4 near10 user near5 log\$6 near5 (record or list or history)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/19 15:00
-	4	@ad<=20001222 and monitor\$4 near5 access near5 database near10 users	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/19 15:01
			DERWENT; _IBM_TDB	

-	2 @ad<=20001222 and record adj5 access adj5 (information or data) adj5 users	USPAT; 2004/05/19 US-PGPUB; 15:03 EPO; JPO; DERWENT; IBM TDB
- 1.	@ad<=20001222 and user near5 log\$4 near10 access near10 (list or record)	USPAT; 2004/05/19 US-PGPUB; 15:09 EPO; JPO; DERWENT; IBM TDB
-	@ad<=20001222 and user near5 log\$4 near10 access near10 (list or record) same database	USPAT; 2004/05/19 US-PGPUB; 15:12 EPO; JPO; DERWENT; IBM TDB
-	8 @ad<=20001222 and monitoring near5 user near5 access near5 database	USPAT; 2004/05/19 US-PGPUB; 15:16 EPO; JPO; DERWENT; IBM TDB
-	@ad<=20001222 and monitoring near5 (software or program) near5 access near5 database	USPAT; 2004/05/19 US-PGPUB; 15:17 EPO; JPO; DERWENT; IBM TDB
-	9 @ad<=20001222 and monitoring and multi-program near5 database	USPAT; 2004/05/19 US-PGPUB; 15:18 EPO; JPO; DERWENT; IBM TDB
-	6 @ad<=20001222 and multi-program near5 database	USPAT; 2004/05/19 US-PGPUB; 15:19 EPO; JPO; DERWENT; IBM TDB
-	<pre>1 @ad<=20001222 and ((multi-program) or (multiple adj program) or (multiple adj software) or (multi-software)) near5 database</pre>	USPAT; 2004/05/19 US-PGPUB; 15:21 EPO; JPO; DERWENT; IBM TDB
-	<pre>4 @ad<=20001222 and ((multi-program) or (multiple adj program) or (multiple adj software) or (multi-software)) near10 access\$6 near10 database</pre>	USPAT; 2004/05/19 US-PGPUB; 15:22 EPO; JPO; DERWENT; IBM TDB
- '	<pre>4 @ad<=20001222 and ((multiple or various) near5 (program or software)) near10 access\$6 near10 database</pre>	USPAT; 2004/05/19 US-PGPUB; 15:25 EPO; JPO; DERWENT; IBM TDB
-	<pre>9 @ad<=20001222 and ((multiple or various) near5 (program or software)) near10 access\$6 adj10 database</pre>	USPAT; 2004/05/19 US-PGPUB; 15:26 EPO; JPO; DERWENT; IBM TDB
-	<pre>7 @ad<=20001222 and ((multiple or various) adj10 (program or software)) near50 access\$6 adj10 database</pre>	USPAT; 2004/05/19 US-PGPUB; 15:28 EPO; JPO; DERWENT; IBM TDB
-	2 @ad<=20001222 and record adj10 (software or program) adj10 access adj30 database	USPAT; 2004/05/19 US-PGPUB; 15:48 EPO; JPO; DERWENT; IBM TDB
-	1 @ad<=20001222 and database near3 control near5 monitor\$5 same (progra or software) same access same database	USPAT; 2004/05/19 US-PGPUB; 15:49 EPO; JPO; DERWENT; 1BM TDB

-	6	@ad<=20001222 and database near3 control	USPAT;	2004/05/19
		near5 monitor\$5 same (program or	US-PGPUB;	15:50
		software) same access same database	EPO; JPO;	
			DERWENT;	
	15	 @ad<=20001222 and database near3	IBM_TDB USPAT;	2004/05/19
-	15	management same monitor\$5 near3 access	US-PGPUB;	15:51
		management same monitorys hears access	EPO; JPO;	15.51
			DERWENT;	
			IBM TDB	
_	2	"6411969"	USPĀT;	2004/05/19
	[V.11303	US-PGPUB;	17:40
			EPO; JPO;	- / / /
			DERWENT;	
			IBM TDB	
-	1	"6411969" and monitor\$4	USPĀT;	2004/05/19
		·	US-PGPUB;	17:40
			EPO; JPO;	
		,	DERWENT;	
1			IBM_TDB	
-	10	l '	USPAT;	2004/05/19
1		table).ab.	US-PGPUB;	18:28
			EPO; JPO;	
			DERWENT;	
1		0-4-20001222 / 1	IBM_TDB	2004/05/20
-	17	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
1		network) and database same determin\$4 near5 status	US-PGPUB; EPO; JPO;	08:34
1		licary status	DERWENT;	
			IBM TDB	
1_	2	"20020120765"	USPAT;	2004/05/20
	-	20020120700	US-PGPUB;	08:30
	1		EPO; JPO;	
			DERWENT;	
	[IBM TDB	
-	20	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
		network) and database same (record or	US-PGPUB;	08:39
	1	list or file) same sort\$4	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	44	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
		network) and database same emergency	US-PGPUB;	08:40
			EPO; JPO;	
			DERWENT;	
	1 ^	0-4-20001222 and /#classmundashiss add	IBM_TDB	2004/05/20
-	8	@ad<=20001222 and (telecommunication adj	USPAT;	10:48
	1	network) and database near10 emergency	US-PGPUB; EPO; JPO;	10:40
	1		DERWENT;	
			IBM TDB	
l _		@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
	I	network) and database near20 emergency	US-PGPUB;	10:51
		same bill\$5	EPO; JPO;	
		,	DERWENT;	
	1		IBM TDB	
-	4	@ad<=20001222 and (telecommunication adj	USPAT;	2004/05/20
1	1	network) and database same query same	US-PGPUB;	17:33
	1	emergency	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	11	@ad<=20001222 and status near20 network	USPAT;	2004/05/21
	1	near20 stor\$4 near10 database same (ser	US-PGPUB;	10:35
		or subscriber)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/05/05
-]	@ad<=20001222 and "6714979"	USPAT;	2004/05/21
			US-PGPUB;	11:04
			EPO; JPO;	
	1		DERWENT;	
L	<u> </u>	<u> </u>	IBM_TDB	<u>. </u>

-	128	@ad<=20001222 and telecommunication and	USPAT;	2004/05/21
		database and (cell or matrix or grid or	US-PGPUB;	11:07
		table) same ((fail\$4 or emergency or	EPO; JPO;	
ļ		outage or problem) same status)	DERWENT;	
			IBM TDB	
_	43	@ad<=20001222 and telecommunication and	USPĀT;	2004/05/21
		database same (cell or matrix or grid or	US-PGPUB;	11:09
		table) same ((fail\$4 or emergency or	EPO; JPO;	
		outage or problem) same status)	DERWENT;	· •
			IBM_TDB	ļ
-	15	@ad<=20001222 and telecommunication and	USPAT;	2004/05/21
		database same (cell or matrix or grid or	US-PGPUB;	11:17
		table) same ((fail\$4 or emergency or	EPO; JPO;	
		outage or problem) near20 status)	DERWENT;	
			IBM_TDB	
-	15	*	USPAT;	2004/05/21
1		((database) or (data adj base) or	US-PGPUB;	11:14
		(data-base)) same (cell or matrix or	EPO; JPO;	
		grid or table) same ((fail\$4 or emergency	DERWENT;	
		or outage or problem) near20 status)	IBM TDB	